

# STRENGTH & CONDITIONING

 **MONDO**



DO.  
INNOVATE.  
WIN.


## CELEBRATING OVER 70 YEARS OF EXPERTISE

MONDO has been an innovator since 1948, and has stayed ahead of the game ever since with state-of-the-art sports flooring that anticipates athletes' needs and generates maximum performance. Everything in sports, from a simple workout to a record-breaking race, originates from a single step, push or jump. In other words, that initial, critical contact between the athlete and the surface.

It all starts here.

STRENGTH & CONDITIONING

# MONDO ARMOR SYSTEM




## PASSION AND PERFORMANCE.

Building strength and endurance means constantly outdoing oneself. That takes determination and discipline, and a solid, comfortable, secure base.



### CO-VULCANIZED MULTILAYER TRIPLE DUROMETER

Three different layers of solid vulcanized rubber, each with their own formulation, and combined for maximum performance.



### AIR-CELL TECHNOLOGY

Air-filled chambers on the bottom layer compress, then expand, acting like bowstrings and projecting athletes up and forward.

MondoArmor is a high-performance vulcanized rubber flooring. It provides the perfect support for the most intense strength and conditioning training involving heavy weights.

## WHEN WINNING IS NOT ENOUGH.

To exceed one's limits, there's MondoArmor. It's made up of three layers of vulcanized rubber: a wear layer to resist abrasions and lacerations; an intermediate layer to dissipate shock and stress from heavy loads; and a shock-absorbing impact layer with Air-Cell technology to absorb impact and control vertical deformation and energy return. This triple-layered construction reduces the risk of injury by preventing weight bars from bouncing

out of control. MondoArmor is the ideal solution for weightlifting platforms and strength and conditioning areas.

## SILENT AND IMPACT-RESISTANT.

The extra-thick, multi-layered composition reduces impact sounds while providing superior shock absorption. MondoArmor also boasts the best stability and comfort, and it has unsurpassed resistance to impact, tears, abrasions, and cuts.

# MONDOARMOR SYSTEM

## DIMENSIONS

### Thickness

MondoArmor:	15/64" (6 mm)
Baselast EX:	15/32" (12 mm)
Finished Product:	23/32" (18 mm)

### Roll Length

MondoArmor:	39' 4" (12 m)*
Baselast EX:	29' 6" (9 m)*

### Roll Width

MondoArmor:	6' 1" (1.86 m)
Baselast EX:	6' 2" (1.90 m)

\*Average length from production

\*\*Custom colors available; minimum quantity required.

## COLOR RANGE\*\*



STRENGTH & CONDITIONING

# SPORT IMPACT



## HEAVY DUTY? NO WORRIES.

Whether athletes are powerlifting, core training or using free weights, nothing other than their own fatigue should limit the intensity of their workouts. Sport Impact ensures the best surface for strength training exercises, capable of absorbing even the heaviest impact, and offering incomparable safety and comfort.

Sport Impact is a premium weight resistant rubber flooring with reinforced solid rubber flooring with reinforced solid 3 mm homogeneous strike layer. High tensile strength, tear strength, abrasion resistance, and crack growth resistance. Factory made not on-site laminated, waterproof and easy to clean.



### CO-VULCANIZED MULTILAYER DUAL DUROMETER

Two different layers of solid rubber with their own formulations, vulcanized together to form a continuous, seamless piece of material.

## UNSURPASSED WEIGHT RESISTANCE

Sport Impact is a double-layered vulcanized rubber flooring with an extra-thick 3 millimeter wear layer that resists traction, lacerations, and heavy loads. Ideal for even the most intense sports activities, the robust construction ensures athletes excellent stability due to the embossed and non-porous surface, and the impact layer guarantees uniform shock absorption and dimensional stability.

## SPORT IMPACT

### DIMENSIONS

Thickness	15/64" (6 mm)
Roll Length	42' 7" (13 m)*
Roll Width	6' 1" (1.86 m)
Tile Size	3' x 3' (0.91 m x 0.91 m)

### DIMENSIONS

Thickness	25/64" (10 mm)
Roll Length	29' 6" (9 m)*
Roll Width	6' 1" (1.86 m)
Tile Size	3' x 3' (0.91 m x 0.91 m)

\*Average length from production

\*\*Custom colors available; minimum quantity required.

### COLOR RANGE\*\*




### INDOOR AIR QUALITY

- ◆ Meets CA section 01350
- ◆ Greenguard Gold Certification



STRENGTH & CONDITIONING

# RAMFLEX



## THE BASE FOR GROWING A PASSION FOR FITNESS.

Hundreds of different exercises are available to those looking to train their bodies. Ramflex is the ideal solution for every type of workout, from freestyle to training with machines.



### CO-VULCANIZED MULTILAYER DUAL DUROMETER

Two different layers of solid rubber with their own formulations, vulcanized together to form a continuous, seamless piece of material.

Versatile and durable, Ramflex is a double-layered vulcanized rubber flooring with a hammered surface finish. Thanks to the combination of two layers with different densities, Ramflex resists the wear and the weight of sports equipment while providing optimal shock absorption and energy return.

## VERSATILE AND DURABLE

With its double-layered construction, Ramflex flooring offers an optimal combination of resistance and shock absorption. The 2 millimeter-thick rubber surface layer can withstand wear from weights and light abrasions. Its non-porous surface allows for easy maintenance, and because it's anti-slip, it provides the perfect grip for every workout, even when users wear minimal or no footwear. The combination of the surface layer and shock-absorbing impact layer ensures perfect dimensional stability and makes Ramflex perfect for a wide range of exercises.

# RAMFLEX

## DIMENSIONS


Thickness	15/64" (6 mm)
Roll Length	42' 7" (13 m)*
Roll Width	6' 1" (1.86 m)
Tile size	3' x 3' (0.91 m x 0.91 m)

## DIMENSIONS

Thickness	25/64" (10 mm)
Roll Length	29' 6" (9 m)*
Roll Width	6' 1" (1.86 m)
Tile size	3' x 3' (0.91 m x 0.91 m)

\*Average length from production  
The degree and type of marbling will vary.  
\*\*Custom colors available; minimum quantity required.

## COLOR RANGE\*\*



## INDOOR AIR QUALITY

- ◆ Meets CA section 01350
- ◆ Greenguard Gold Certification





STRENGTH & CONDITIONING

# MONDOLIFT PRO




## ELEVATE YOUR TRAINING

Create the best strength and conditioning space to fit your team's needs.



### CO-VULCANIZED MULTILAYER DUAL DUROMETER

Two different layers of solid rubber with their own formulations, vulcanized together to form a continuous, seamless piece of material.




### ANTIMICROBIAL PREFINISHED ENGINEERED HARDWOOD INSERT

Combines an antimicrobial prefinished engineered hardwood insert by Praters with Mondo's non-porous vulcanized rubber strength and conditioning surfaces.

The patent-pending impact dampening foam technology in our crash zone subfloor reduces sound and weight rebound, enhancing safety for the athlete as well as noise reduction in surrounding areas. No matter what your lifting goal is, our high-performance platforms will deliver the comfort and safety you expect from Mondo's product line.

## COMPLETELY CUSTOMIZABLE PLATFORM SYSTEM

With the use of interlocking panel inserts that can be incorporated between lifting stations, you have the capability of adding panels in any direction. This allows you unlimited possibilities to create a unique weight lifting space. Whether you desire a single lifting platform, or a uniform multi-platform lifting surface on one level, you have the ability to create an area specifically designed for your sports teams and recreational athletes.



## ENDLESS DESIGN CAPABILITIES

In partnership with Praters, our design capabilities are endless. With the option of painting or applying high performance patented PlayOn decals, we can provide design options that will take your branding to the next level. Combining your school or facility logo with Mondo's array of drop zone colors will generate an unforgettable wow factor that will leave a lasting impression on your athletes and future recruits.

## MONDOLIFT PRO

### DIMENSIONS MONDOLIFT PRO

Thickness	2 7/8" (88 mm)
Length	6' (72") (1.8 m)
Width	7' 6" (2.3 m)**
Weight	256 lbs (116.12kg)

### DIMENSIONS SPORT IMPACT & RAMFLEX

Thickness	25/64" (10 mm)
Roll Length	29' 6" (9 m)*
Roll Width	6' 1" (1.86 m)
Tile size	3' x 3' (0.91 m x 0.91 m)

\*Average length from production

\*\*7/6" includes drop zones

\*\*\* The degree and type of marbleization will vary. Custom colors available; minimum quantity required.


### SPORT IMPACT COLOR RANGE\*\*\*

#### SEALSKIN FINISH



### RAMFLEX COLOR RANGE\*\*\*

#### MARBELIZED FINISH





TENNESSEE TITANS

NASHVILLE, TN



## JACKSONVILLE JAGUARS

JACKSONVILLE, FL



## CHICAGO BULLS

CHICAGO, IL



## UNIVERSITY OF OREGON

EUGENE, OR



## ST CLOUD STATE UNIVERSITY

ST CLOUD, MN



SPEED

STRENGTH

POWER



LOUISIANA STATE UNIVERSITY

BATON ROUGE, LA



YALE UNIVERSITY

NEW HAVEN, CT



## UNIVERSITY OF TENNESSEE

CHATTANOOGA, TN



## UNIVERSITY OF WISCONSIN

MADISON, WI





## UNIVERSITY OF MICHIGAN

ANN ARBOR, MI



## NEW MEXICO STATE UNIVERSITY

LAS CRUCES, NM



OHIO STATE UNIVERSITY

COLUMBUS, OH



## NEW CASTLE HIGH SCHOOL

NEW CASTLE, IN



## COLUMBUS ACADEMY

GAHANNA, OH



# SPRING FORD HIGH SCHOOL

ROYERSFORD, PA

email: [mondo@mondousa.com](mailto:mondo@mondousa.com)

Société Mondo America Inc.

2655 Francis Hughes

Laval, QC, Canada H7L 3S8

Tel: 450 967 5800

Fax: 450 663 7927

800 663 8138

Mondo U.S.A. Inc.

1100 East Hector St., Suite 160

Conshohocken, PA 19428

Tel: 800 361 3747

Fax: 610 834 3837

 **MONDO**

[WWW.MONDOWORLDWIDE.COM](http://WWW.MONDOWORLDWIDE.COM)